



**Data Sheet** 

# Programming key Type **MMIMYK**

Electronic controller suitable for all HVAC/R software application needs.



MMIMYK is the advanced "all in one" device that performs up to three different functions:v

It has a bright graphic display and a keyboard that enable to configure the module to run several functions.

It has also a slot for SD/MMC card (Multi Media Card) to extend the memory capacity.

### Features:

- Full graphic OLED display, 128 x 64 dots resolution
- Easy connection to MCX CANbus network through telephone plug
- SD/MMC card slot for easy software upload and datalogging
- Modbus RS485 serial interface
- Powered by the MCX which it is connected to or the other way round
- Can execute an application like any MCX device
- Dimensions 105 x 72 mm
- Mounting DIN rail or portable



# **Product specification**


## **General features**

### Table 1: General features

Features	Description	
Power supply	From the MCX through the RJ12 telephone connector	
	12 V DC (from DC connector)	
	24 V AC SELV (from screw plug-in connector type pitch 3.5 mm): on this supply it is advisable to use a dedicated transform- er 24 V AC - 10 V A. It is mandatory if MMIMYK is connected to devices without insulation between power supply and extra- low voltage such as EXD316	
	From USB 2.0 (maximum 500 mA)	
Plastic housing	DIN rail mounting complying with EN 60715	
Ball test	125 °C according to IEC 60730-1 Leakage current: ≥250 V according to IEC 60112	
Operating conditions	CE: -20T60, 90% RH non-condensing	
Storage conditions	-30T80, 90% RH non-condensing	
Integration	In Class I and / or II appliances	
Index of protection	IP20 only on the front cover	
Period of electric stress across insulat- ing parts	Long	
Resistance to heat and fire	Category D	
Immunity against voltage surges	Category I	
Software class and structure	Class A	


## **Connection diagram**

## Figure 1: Connection ports of MYK





## Figure 2: Connection MYK - MCX




## **Connection**

#### Table 2: Connection

Connectors	Туре	Dimensions
CAN-RJ connector	6/6 way telephone RJ12 plug type	• pitch 2 mm
Power supply connector	DC Jack type	• Ø 3.5 x 1.3 mm
Power supply 24 V AC connector	2 way screw plug-in connector type	<ul> <li>pitch 3.5 mm</li> <li>section cable 0.08 – 1.5 mm<sup>2</sup></li> </ul>
CAN connector	4 way screw plug-in connector type	<ul> <li>pitch 3.5 mm</li> <li>section cable 0.08 – 1.5 mm<sup>2</sup></li> </ul>
RS485 connector	3 way screw plug-in connector type	<ul> <li>pitch 3.5 mm</li> <li>section cable 0.08 – 1.5 mm<sup>2</sup></li> </ul>
USB connector	Mini type B	
SD/MMC connector	For memory card SD/MMC type	• up to 2 GB

## **Dimensions**

## Figure 3: Dimensions



## **User interface**

## Table 3: User interface

Туре	Features	Description
OLED display	Display	Graphic OLED
	Format	128 x 64 dots
	Active visible area	35 x 17.5 mm



## Programming key, type MMIMYK

Туре	Features	Description
Keyboard	Number of keys	4
	Keys function	Set by the application software
Memory	Internal	2 MB
	SD/MMC	Expansion slot (SD/Multi Media Card) up to 2 GB

Ordering

## **Product part numbers**

Table 4: Product part numbers		
Description	Code No.	
MMIMYK, PC/MCX Interface and MCX Programming, Data Logging, S	080G0073	

## Certificates, declarations, and approvals

The list contains all certificates, declarations, and approvals for this product type. Individual code number may have some or all of these approvals, and certain local approvals may not appear on the list.

Some approvals may change over time. You can check the most current status at danfoss.com or contact your local Danfoss representative if you have any questions.

### Table 5: Certificates, declarations, and approvals

File name	Document type	Document topic	Approval authority
080R1227.02	EU Declaration of conformity	EMC directive 2014/30/EU: EN61000-6-4: 2007 +A1: 2011 EN61000-6-2: 2005 RoHS directive 2011/65/EU and 2015/863/EU: EN 50581: 2012	Danfoss

## **Online support**

Danfoss offers a wide range of support along with our products, including digital product information, software, mobile apps, and expert guidance. See the possibilities below.

### **The Danfoss Product Store**



The Danfoss Product Store is your one-stop shop for everything product related—no matter where you are in the world or what area of the cooling industry you work in. Get quick access to essential information like product specs, code numbers, technical documentation, certifications, accessories, and more.

Start browsing at store.danfoss.com.

### Find technical documentation



Find the technical documentation you need to get your project up and running. Get direct access to our official collection of data sheets, certificates and declarations, manuals and guides, 3D models and drawings, case stories, brochures, and much more.

Start searching now at www.danfoss.com/en/service-and-support/documentation.

### **Danfoss Learning**



Danfoss Learning is a free online learning platform. It features courses and materials specifically designed to help engineers, installers, service technicians, and wholesalers better understand the products, applications, industry topics, and trends that will help you do your job better.

Create your Danfoss Learning account for free at www.danfoss.com/en/service-and-support/learning.

### Get local information and support



Local Danfoss websites are the main sources for help and information about our company and products. Find product availability, get the latest regional news, or connect with a nearby expert—all in your own language.

Find your local Danfoss website here: www.danfoss.com/en/choose-region.

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Danfoss

ENGINEERING TOMORROW